

```

#include<windows.h>
#include<commctrl.h>
HWND hwnd,spin,edit;
MSG msg;
WNDCLASS cla;
HINSTANCE p;
UINT val;
long int abc(HWND,UINT,UINT,long);
int _stdcall WinMain(HINSTANCE a,HINSTANCE b,char *ab,int show)
{
    p=a;
    cla.style=CS_HREDRAW|CS_VREDRAW;
    cla.hbrBackground=(HBRUSH)GetStockObject(3);
    cla.hInstance=a;
    cla.lpfWndProc=(WNDPROC)abc;
    cla.lpszClassName="kiit";
    RegisterClass(&cla);
    hwnd=CreateWindow("kiit","Naresh
Kumar",WS_OVERLAPPEDWINDOW,10,10,200,200,NULL,NULL,p,NULL);
    ShowWindow(hwnd,3);
    while(GetMessage(&msg,0,0,0))
    {
        TranslateMessage(&msg);
        DispatchMessage(&msg);
    }
    return 1;}
long int abc(HWND hwnd,UINT msg,UINT msg1,long z)
{
    switch(msg)
    {
    case WM_DESTROY:
        PostQuitMessage(0);        break;
    case WM_CREATE:
        spin=CreateUpDownControl(UDS_ALIGNRIGHT |UDS_SETBUDDYINT
|WS_CHILD|WS_VISIBLE,10,10,100,100,hwnd,109,p,edit,0,1000,10);
        edit=CreateWindow("EDIT","",ES_UPPERCASE|WS_CHILD|WS_VISIBLE,40,10,100,100,h
wnd,(HMENU)201,p,NULL);
        SendMessage(spin,UDM_SETBUDDY,(WPARAM)(HWND)edit,0);
        break;
    }
    return DefWindowProc(hwnd,msg,msg1,z);
}

```